

San Jose Animal Hospital

Patient Chart

940 Berryessa Road
San Jose, CA 95133
408-453-2524

Printed: 04-04-17 at 10:58a

CLIENT INFORMATION

Name St.Francis(Caron) Animal Protection (0)
Address 698 East Scorpio Place
Chandler, AZ 85249
Phone 408 219-0752
Email Caron@stfrancisanimal.org
Clients D.O.B. 02-29-56
Referred by Friend, non-client.

PATIENT INFORMATION

Name Walnut (Record - 61391) **Species** Canine
Sex Female, Spayed **Breed** Chihuahua
Birthdate 11-19-16 **Age** 19w
ID 990000001086332 **Rabies** 37836
Color Brown **Weight** 4.90 lbs
Reminded (none) **Codes**
Added 01-06-17

Reminders for: Walnut	Last done
03-24-18 DHPP Annual Booster	
03-24-18 Annual Physical Check Up	03-24-17
03-24-18 Rabies 3yr	
03-06-18 Bordetella Annual Booster	03-06-17
01-06-18 Fecal Flotation	01-06-17
08-20-17 Heartworm Test 4DX	

Walnut's weight history (in lbs)

03-24-17	4.90
03-06-17	4.28
01-06-17	2.22

MEDICAL HISTORY

Date	Time	By	Code	Description	Qty (Variance)	Photo
01-06-17	11:50a		CHECK IN	Patient check-in	1	
				AN: 01-05-17 at 10:23a: Puppy package approved by Kim at St Francis. Both a chihuahua's, one male (Walnut) one female (Maple). CALL FOSTER TO CONFIRM - 408-406-9111 EW: 01-05-17 at 10:45a: Imor		
				Age: 6w Weight: 2.22 Temp: 100.40		
	11:51a		APPT\$	Appointment notes for 01-06-17	1	
				AN: 01-05-17 at 10:23a: Puppy package approved by Kim at St Francis. Both a chihuahua's, one male (Walnut) one female (Maple). CALL FOSTER TO CONFIRM - 408-406-9111 EW: 01-05-17 at 10:45a: Imor		

San Jose Animal Hospital

940 Berryessa Road
San Jose, CA 95133
408-453-2524

Patient Chart for Walnut
Date: 04-04-17, Time: 10:58a

Client: St.Francis(Caron) Animal Protection
Page: 2

Date	Time	By	Code	Description	Qty (Variance)	Photo
01-06-17	11:51a	AR	PPP	Puppy Package Doctor's Instructions - Today the Doctor discussed the following with you. If you have any questions please feel free to consult your veterinarian.	1	
				<ol style="list-style-type: none"> 1. Dental care 2. Vaccinations and Reactions 3. Parasites, de-worming, fecal exam, zoonotic importance (transmission of roundworms and hookworms from pets to humans) 4. Nail trim 5. Ear care 6. Flea and tick prevention 7. Heartworm testing and prevention 8. Feeding and diet 9. I.D Chip and registration 10. Spaying/neutering 		
	11:51a		PE	Puppy Check-up Subjective: Puppy Exam and Puppy Package Chief Reason For Visit:	0	
				Eating/Drinking OK: Vomiting/Diarrhea: Current Medicines: ----- Objective: Weight (lbs): Temperature (F): GEN: BARH, MM: pink and moist, CRT <2 seconds BCS: 5/9 INTEG: Full clean haircoat. No areas of alopecia or evidence of ectoparasites. EENT: [EYES]: eyes open and comfortable. No corneal abnormalities. No ocular discharge OU [EARS] clean, no discharge, erythema, or masses AU [NOSE]: No nasal Discharge, depigmentation. [THROAT]: no cough elicited on throat palpation ORAL: Premature dentition, no masses CV: No murmurs or arrhythmias auscultated. Femoral pulses strong and synchronous. No pulse deficits. RESP: Normal breathe sounds in all fields. No crackles or wheezes auscultated. MS: ambulatory. Appropriate and symmetrical muscling. No pain on gentle spinal palpation. No joint swelling. GI/GU: No pain on abdominal palpation. No masses or organomegaly palpated. LN: Mandibular, superficial cervical, and popliteal LN appropriate size, soft, symmetrical. NS: Mentation appropriate, Cranial nerves intact, no ataxia or conscious proprioception deficits.		
				Diagnostics: None ----- Assessment: Currently healthy okay to vaccinate ----- Plan: DHPP R thoracic limb sq		

San Jose Animal Hospital

940 Berryessa Road
San Jose, CA 95133
408-453-2524

Patient Chart for Walnut
Date: 04-04-17, Time: 10:58a

Client: St.Francis(Caron) Animal Protection
Page: 3

Date	Time	By	Code	Description	Qty (Variance)	Photo
------	------	----	------	-------------	----------------	-------

fecal pending
pyrantal 0.2ml PO
praziquantal SQ
Andrew Ross, DVM
TECH: MP

Doctor's Instructions - Today the Doctor discussed the following with you.
If you have any questions please feel free to consult your veterinarian.

1. Dental care
2. Vaccinations and Reactions
3. Parasites, de-worming, fecal exam, zoonotic importance (transmission of roundworms and hookworms from pets to humans)
4. Nail trim
5. Ear care
6. Flea and tick prevention
7. Heartworm testing and prevention
8. Feeding and diet
9. I.D Chip and registration
10. Spaying/neutering

Attachments\28233\Walnut\St. Francis, Walnut_Puppy Package.pdf

01-06-17	11:56a	AR	V14	DHPP #1 Vaccination	1	
ID:	Serial: 145702			Expires: 09/05/17	Type: MLV	Mfg: ZOETI Admin: SQ
	11:56a		DW11	DWM Strongid Canine 0-40Lbs	1	
	11:56a		IN01	501 Ova & Parasites- Sent Home	1	
	11:57a		V55	Vaccine	1	

Doctor's Instructions - Instructions:
PLEASE READ REGARDING VACCINE REACTIONS:
YOUR PET MAY EXPERIENCE LETHARGY AND SORENESS FROM THE VACCINATIONS. THIS IS NORMAL WITH VERY YOUNG ANIMALS. IF THIS PERSISTS LONGER THAN 24 HOURS, PLEASE BRING YOUR PET INTO THE HOSPITAL OR IF AFTER HOURS, TO THE EMERGENCY CLINIC.

IF YOUR PET HAS ANY OF THE FOLLOWING SIGNS BRING TO THE HOSPITAL IMMEDIATELY OR IF AFTER HOURS, TO THE EMERGENCY CLINIC:

1. REPEATED EPISODES OF VOMITING AND/OR DIARRHEA
2. LETHARGIC OR RESTLESS BEHAVIOR LASTING MORE THAN 48 HOURS
3. SWOLLEN FACE OR HIVES (BUMPS) ON THE BODY
4. DIFFICULTY BREATHING

SINCE IT IS HARD TO PREDICT WHICH ANIMALS WILL HAVE AN ALLERGIC REACTION & ONLY A SMALL PERCENTAGE OF PETS WILL HAVE ANY REACTION, WE ARE NOT RESPONSIBLE FOR ANY FEES INCURRED BECAUSE OF TREATING ANY VACCINE REACTIONS. HOWEVER, WE WILL ASSIST YOU AS BEST WE CAN.

*Your pet may experience soreness from the vaccination. If soreness continues longer than 24 hours then please call us. Please mail any rabies certificate for your cat or dog to the city. They will assess a penalty for delinquencies, so try to mail them as soon as possible.

If you have any concerns and we are closed, please call Silicon Valley Veterinary Specialists at: 408.649.7070

San Jose Animal Hospital

940 Berryessa Road
 San Jose, CA 95133
 408-453-2524

Patient Chart for Walnut
 Date: 04-04-17, Time: 10:58a

Client: St.Francis(Caron) Animal Protection

Page: 4

Date	Time	By	Code	Description	Qty (Variance)	Photo
01-06-17	12:04p	AR	M13	Advantage Sample-3-9 Lbs	1	
				Part the fur and apply contents of one tube between the shoulder blades. Apply one tube, once a month.		
	12:11p		DW18	Praziquantel Inj 0-40lbs	1	
	12:18p		OK	Ready to be Checked Out	1	
03-06-17	9:52a	DVM	PC	Patient Chart	1	
03-06-17	9:58a	DO	CHECK IN	Patient check-in dhpp, DWM, bordetella *Puppy Pkg*	1	

Age: 15w **Weight:** 4.28 **Temp:** 101.00

9:58a APPT\$ Appointment notes for 03-06-17 1
 dhpp, DWM, bordetella *Puppy Pkg*

9:58a TA Technician Appt- in back/vaccination 1

9:58a V55 Vaccine 1

Doctor's Instructions - Instructions:

PLEASE READ REGARDING VACCINE REACTIONS:

YOUR PET MAY EXPERIENCE LETHARGY AND SORENESS FROM THE VACCINATIONS. THIS IS NORMAL WITH VERY YOUNG ANIMALS. IF THIS PERSISTS LONGER THAN 24 HOURS, PLEASE BRING YOUR PET INTO THE HOSPITAL OR IF AFTER HOURS, TO THE EMERGENCY CLINIC.

IF YOUR PET HAS ANY OF THE FOLLOWING SIGNS BRING TO THE HOSPITAL IMMEDIATELY OR IF AFTER HOURS, TO THE EMERGENCY CLINIC:

1. REPEATED EPISODES OF VOMITING AND/OR DIARRHEA
2. LETHARGIC OR RESTLESS BEHAVIOR LASTING MORE THAN 48 HOURS
3. SWOLLEN FACE OR HIVES (BUMPS) ON THE BODY
4. DIFFICULTY BREATHING

SINCE IT IS HARD TO PREDICT WHICH ANIMALS WILL HAVE AN ALLERGIC REACTION & ONLY A SMALL PERCENTAGE OF PETS WILL HAVE ANY REACTION, WE ARE NOT RESPONSIBLE FOR ANY FEES INCURRED BECAUSE OF TREATING ANY VACCINE REACTIONS. HOWEVER, WE WILL ASSIST YOU AS BEST WE CAN.

*Your pet may experience soreness from the vaccination. If soreness continues longer than 24 hours then please call us. Please mail any rabies certificate for your cat or dog to the city. They will assess a penalty for delinquencies, so try to mail them as soon as possible.

If you have any concerns and we are closed, please call Silicon Valley Veterinary Specialists at: 408.649.7070

	9:58a	V15	DHPP #2 Vaccination	1	
ID:	Serial: 45500-10400		Expires: 10/13/17 Type: MLV Mfg: MERIA Admin: SQ		
	10:02a	V71	BORDETELLA ORAL	1	
ID:	Serial: 140645A		Expires: 4/14/18 Type: AVL Mfg: ZOETI Admin: ORAL		
	10:02a	DW11	DWM Strongid Canine 0-40Lbs	1	
	10:16a	M02	Nail Trim - All sizes	1	

San Jose Animal Hospital

940 Berryessa Road
San Jose, CA 95133
408-453-2524

Patient Chart for Walnut
Date: 04-04-17, Time: 10:58a

Client: St.Francis(Caron) Animal Protection
Page: 5

Date	Time	By	Code	Description	Qty (Variance)	Photo
03-23-17	2:30p	DO	PC	Patient Chart	1	
03-24-17	9:05a	DO	CHECK IN	Patient check-in Microchip, painmeds. E-collar Spay	1	

Age: 17w **Weight:** 4.90 **Temp:** 100.50

9:05a APPT\$ Appointment notes for 03-24-17
Microchip, painmeds. E-collar Spay 1

9:07a E29 Pre-Op Exam 1
Subjective: no concerns
Chief Reason For Visit: ovh

Eating/Drinking OK: yes
Vomiting/Diarrhea: no
Current Medicines: none

Objective:
Weight (lbs): 4.90
Temperature (F): 100.5
Pulse/min:
Respiration/min:
MM pink, CRT <2s. Skin Tent WNL

Cardio: NSF
EENT: NSF
GastroIntestinal: NSF
Integument: NSF
Lymph Nodes: ALL PERIPHERAL NODES PALPATE WNL
Musculoskeletal: NSF
Neuro: NSF
Oral: NSF
Resp: NSF. ALL LUNG FIELDS SOUND CLEAR
Urogenital: NSF

Other:

Assessment:

Plan:
REC.
RX:

Dr. do
TECH: cg

Attachments\28233\Walnut\Animal Pro_Walnut_Spay Auth.pdf

10:24a VT25 DECLINED: PREOP BW <7YR (PCV, CHEM10) 1
10:24a EM17 DECLINED: IV CATHETERIZATION W/FLUIDS 1

San Jose Animal Hospital

940 Berryessa Road
 San Jose, CA 95133
 408-453-2524

Patient Chart for Walnut
 Date: 04-04-17, Time: 10:58a

Client: St.Francis(Caron) Animal Protection
 Page: 6

Date	Time	By	Code	Description	Qty (Variance)	Photo
03-24-17	9:07a	DO	A25	General Anesthesia Ketamine 100 mg/mL: 0.12mL IV Midazolam 5 mg/mL: 0.12mL IV Isoflurane 2% Oxygen 2% Endotracheal Tube #4	1	
	9:07a		A24	Anesthetic Monitoring Recovery: fast	1	
	9:07a		E57	Spay - Canine <50lbs 2CM VENTRAL MIDLINE ABDOMINAL INCISION. 2-0 MAXON SUTURE USED THROUGH OUT SURGERY. SINGLE LIGATURE ON EACH PEDICLE. MILLER'S KNOT ON UTERINE BODY SIMPLE INTERRUPTED LINEA CLOSURE. SIMPLE INTERRUPTED SKIN CLOSURE UNEVENTFUL RECOVERY	1	
	9:07a		M1	No Sutures Placed- Skin Glue Internal sutures to dissolve over time -Skin glue externally	1	
	9:07a		PS51	Antibiotic Injection Pen G. 0.25mL SQ	1	
	9:07a		PS52	Pain Medication Injection Ketoprofen 0.05mL diluted SQ	1	
	9:07a		MM152	Nail Trim w/ Procedure	1	
	9:06a		M27	Implanted I.D. Chip #990000001086332	1	
	10:51a		V55	Vaccine	1	
<p>Doctor's Instructions - Instructions: PLEASE READ REGARDING VACCINE REACTIONS: YOUR PET MAY EXPERIENCE LETHARGY AND SORENESS FROM THE VACCINATIONS. THIS IS NORMAL WITH VERY YOUNG ANIMALS. IF THIS PERSISTS LONGER THAN 24 HOURS, PLEASE BRING YOUR PET INTO THE HOSPITAL OR IF AFTER HOURS, TO THE EMERGENCY CLINIC.</p> <p>IF YOUR PET HAS ANY OF THE FOLLOWING SIGNS BRING TO THE HOSPITAL IMMEDIATELY OR IF AFTER HOURS, TO THE EMERGENCY CLINIC: 1. REPEATED EPISODES OF VOMITING AND/OR DIARRHEA 2. LETHARGIC OR RESTLESS BEHAVIOR LASTING MORE THAN 48 HOURS 3. SWOLLEN FACE OR HIVES (BUMPS) ON THE BODY 4. DIFFICULTY BREATHING</p> <p>SINCE IT IS HARD TO PREDICT WHICH ANIMALS WILL HAVE AN ALLERGIC REACTION & ONLY A SMALL PERCENTAGE OF PETS WILL HAVE ANY REACTION, WE ARE NOT RESPONSIBLE FOR ANY FEES INCURRED BECAUSE OF TREATING ANY VACCINE REACTIONS. HOWEVER, WE WILL ASSIST YOU AS BEST WE CAN.</p>						

San Jose Animal Hospital

940 Berryessa Road
 San Jose, CA 95133
 408-453-2524

Patient Chart for Walnut
 Date: 04-04-17, Time: 10:58a

Client: St.Francis(Caron) Animal Protection
 Page: 7

Date	Time	By	Code	Description	Qty (Variance)	Photo
------	------	----	------	-------------	----------------	-------

*Your pet may experience soreness from the vaccination. If soreness continues longer than 24 hours then please call us. Please mail any rabies certificate for your cat or dog to the city. They will assess a penalty for delinquencies, so try to mail them as soon as possible.

If you have any concerns and we are closed, please call Silicon Valley Veterinary Specialists at: 408.649.7070

03-24-17	10:48a	DO	V25	Rabies 1yr, #37836	1	
ID: 37836	Serial: 152147A			Expires: 10/24/17	Type: KIL	Mfg: ZOET Admin: SQ
	10:51a		V17	DHPP #4 Vaccination	1	
ID:	Serial: 45500-10400			Expires: 10/13/17	Type: MLV	Mfg: MERIA Admin: SQ
	10:51a		DW11	DWM Strongid Canine 0-40Lbs	1	
	9:07a		MM016	Buster collar(Small)	1	
	11:59a		MM74	Tramadol Liquid (50 mg/ml)	3	

Give 1 pre-filled syringe (0.3ml) by mouth every 12 hours for 5 days. This is a pain medicine

Doctor's Instructions - What is tramadol:

Tramadol is a pain reliever. It is used in dogs and cats to treat moderate to severe pain.

What is the most important information I should know about tramadol:

You should not give your pet tramadol if the pet has a history of seizures.

What should I discuss with my veterinarian before giving tramadol:

Do not give tramadol if you are giving your pet any of the following drugs; a narcotic pain medicine, sedatives or tranquilizers (such as Valium), or medicine for anxiety. Your pet's risk of seizure may be higher if your pet has any of these conditions; a history of epilepsy or other seizure disorder, a metabolic disorder, or if your pet is being given an antidepressant, muscle relaxer, or medicine for nausea and vomiting. Tell your veterinarian if your pet is allergic to any medications, or if your pet has kidney disease, liver disease, or a stomach disorder. Tell your veterinarian if your pet is pregnant or lactating.

How should tramadol be given:

Give tramadol exactly as directed by your veterinarian. Do not give it in larger doses or for longer than recommended by your veterinarian. Allow plenty of water for your pet to drink. Tramadol can be given with or without food. Do not crush the tramadol tablet. Do not stop giving tramadol suddenly. Symptoms of sudden withdrawal may include anxiety, nausea, diarrhea, tremors, chills, and breathing problems. Talk to your veterinarian about how to avoid withdrawal symptoms when stopping this medication. Store tramadol in the refrigerator.

What happens if I miss giving a dose:

Give the missed dose as soon as you remember. If it is almost time for the next dose, skip the missed dose and give the medicine at the next regularly scheduled time. Do not give extra medicine to make up the missed dose.

What happens if I overdose my pet:

Seek emergency veterinary medical attention if you think you have given your pet too much medicine. An overdose of tramadol can be fatal. Overdose symptoms may include drowsiness, shallow breathing, slow heartbeat, extreme weakness, fainting, or coma.

What should I avoid while giving tramadol:

Cold or allergy medicine, narcotic pain medicine, muscle relaxers, and medicine for seizures, or

San Jose Animal Hospital

940 Berryessa Road
 San Jose, CA 95133
 408-453-2524

Patient Chart for Walnut
 Date: 04-04-17, Time: 10:58a

Client: St.Francis(Caron) Animal Protection

Page: 8

Date	Time	By	Code	Description	Qty (Variance)	Photo
------	------	----	------	-------------	----------------	-------

anxiety can add to drowsiness caused by tramadol. Tell your veterinarian if you give any of these medicines to your pet.

What are the possible side effects of tramadol:

Get emergency veterinary medical help if your pet develops these signs of an allergic reaction: hives; difficulty breathing; swelling of the face, lips, tongue, or throat. Stop using tramadol and call your veterinarian at once if your pet has any of these serious side effects: seizure; a red, blistering, peeling skin rash; or shallow breathing. Less serious side effects may include: drowsiness, and weakness; vomiting, constipation, loss of appetite; blurred vision; insomnia.

What other drugs will affect tramadol:

Your pet may be more likely to have a seizure if you give tramadol while giving certain other medications. Tell your veterinarian if you are also giving your pet or using any of the following medications: an MAO inhibitor such as selegiline (Anipryl), Mitaban, or a Preventic Collar; an antidepressant such as amitriptyline, clomipramine (Clomicalm), fluoxetine (Prozac, Reconcile), or acepromazine. Also tell your veterinarian if your pet is being given warfarin (Coumadin); digoxin (Lanoxin); ketoconazole (Nizoral); or drugs that can cause drowsiness such as other pain medications, muscle relaxants, and herbal products. This list is not complete and there may be other medications that can interact with tramadol. Tell your veterinarian about all the prescription and over-the-counter medications you give your pet. This includes vitamins, minerals and herbal products.

03-24-17	10:51a	DO	DIS1	Puppy Package Discount - Spay	1	
	12:26p		OK	Ready to be Checked Out @ 1:30pm	1	
Uneventful recovery; no Sx complications						
No sutures; skin glue						
REC: confinement to heal						

03-25-17	11:40a	DO	FNOTE\$	By: EW, Puppy alters	1	
How are Walnut and Maple after puppy spay and neuter?						
Call: (408) 406-9111						
PJ: 03-25-17 at 11:22a: .Imom						
EW: 03-25-17 at 11:39a: o called back - both dogs doing extremely well. o tried to restrict food intake but they kept begging for food & they didn't vomit so she fed them their whole meal. EDUD norm, energy back to norm already.						